ANALYTIC SUBJECT INDEX

1/*N* approximation 1463

2D and 3D fermion gas systems 1497
2D-angular correlation of positron annihilation (ACAR)
– in La_2CuO_4 1375
– in NiO 1375
– in $YBa_2Cu_3O_{7-\delta}$ 1375
2D-antiferromagnetic Heisenberg model (square lattice) 207
2D Fermi gas with attractive interactions 1457
2D Hubbard model 1503

3-band Hubbard model 807

A15 compound
– in Nb–Al (film) 433
A15 compounds
– of Nb_3Sn, V_3Si 431
Acoustic resonance
– of $EuBa_2Cu_3O_{7-\delta}$ 458
– of $YBa_2Cu_3O_{7-\delta}$ 458
AC susceptibility 369
– of $(BEDT\text{-}TTF)_2Cu(NCS)_2$ 405
– of $(Bi_{0.9}Pb_{0.1})SrCaCu_{1.8}O_{10+\delta}$ 327
– of $Bi_{1-x}Pb_xSrCaCu_{1.8}O_x$ 1639
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1613
– of Bi–Sr–Ca–Cu–O 1587
– of granular Y–Ba–Cu–O 1177
– of $YBa_2Cu_3O_{7-\delta}$ 327, 339, 421, 1665
– of $YBa_2Cu_3O_{7-\delta}$ (film) (magnetron sputtering) 321
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1617, 1643
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal thin film) 1641
Activation energy 701
– of Bi–Sr–Ca–Cu–O (textured tape) 685
– of $Ca_2Ba_2Cu_3O_x$ (thin film) 677
– of $Tl_2CaBa_2Cu_2O_x$ (single crystal) 677
– of $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) 689
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 683
– of $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) 1191
Activation energy of flux motion 661
Actual fluorination
– of $YBa_2Cu_3O_x$ 889
Amorphous thin film
– of $YBa_2Cu_3O_{7-\delta}$ 441
Analytical control of stoichiometry 1225
Anderson Hamiltonian 809, 1467
Anderson lattice model 1533
Anderson model 1483
Andreev reflection
– in $YBa_2Cu_3O_{7-\delta}$-Au junctions 1061
Angular resolved photoemission spectroscopy
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1381
– in $Bi_2(Sr,Ca,La)_3Cu_2O_{8+\delta}$ (single crystal) 1313
– in CoO 1311
– in NiO 1311
Anharmonic electron--phonon and electron--electron interaction 779
Anharmonic lattice vibration
– in $La_2CuO_{4-\delta}$ (single crystal) 1705
Anisotropic conductivity
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 647
Anisotropic critical current (transport)
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 653
Anisotropic flux penetration
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1553
Anisotropic flux trap
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1635
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1635
Anisotropic Ginzburg–Landau theory 1137
Anisotropic lattice vibration
– in $EuBa_2Cu_3O_{7-\delta}$ 568
Anisotropic resistivity
– of $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ 1195
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1649
– of $(TlO)_2Ba_2Ca_2Cu_3O_8$ (single crystal) 1619
– of $(TlO)Ba_2Ca_2Cu_3O_8$ 1619
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1023
Anisotropic stress dependence of T_c
– in $YBa_2Cu_3O_{6.9}$ (single crystal) 739
Anisotropic superconductors (theory) 203
Annealing effect
– of $YBa_2Cu_3O_{7-\delta}$ by ozone 903
Annealing effect on T_c
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 929
Anomalous Hall effect
– in Bi–Pb–Sr–Ca–Cu–O 999
Anomalous NMR line width
– of $YBa_2Cu_3O_{7-\delta}$ 175
Antiferromagnetic correlation length
– in $La_2CuO_{4-\delta}$ 849
– in $YBa_2Cu_3O_{7-\delta}$ 849
Antiferromagnetism
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 985
– in CuO 1279
– in $La_{2-x}Sr_xNiO_{4-\delta}$ 1273
– in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 1281
Antiferromagnetism in heavy fermion systems 1673
Antiferromagnetic order
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 155
– in CuO 478, 1349
– in $La_2CuO_{4-\delta}$ 1349
– in $NdBa_2Cu_3O_{7-\delta}$ 1367
– in $YBa_2(Cu_{0.97}Ni_{0.03})_3O_6$ 1367
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1367
– in $YBa_2Cu_3O_{7-\delta}$ 157
– in $YBa_2Cu_3O_yH_x$ 149
– in $YBa_2Cu_{3-x}M_xO_{6+\delta}$ (M=Co,Ni,Al) 1267
Antiferromagnetic order of Cu
– in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ 183
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 181
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 185
– in $YBa_2Cu_3O_{7-\delta}$ ($0.44<\delta<1$) 161
Antiferromagnetic to ferromagnetic transition 1517
Anti-Meissner effect
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1365
Anyons 791
Atomic ordering
– in $YBa_2Cu_3O_{7-\delta}$ 1515
Atomic pair correlation function
– of $Tl_2Ba_2CuO_{6+\delta}$ 101
– of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 101
Atomic pair distribution function (PDF) analysis
– of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 93
Auger depth profile
– of $Bi_2Sr_2CuO_{6+\delta}$ (single crystal) 1223
– of $YBa_2Cu_3O_{7-\delta}$ thin film 637
Auger electron spectroscopy 629

– in $La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ 1329
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1389
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1305

Band structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1697
Band structure (LMTO calculation) 1529
Band structure of the copper oxides 1419
BCS Eliashberg theory 801
BCS theory of Hall superconductivity 1451
Bean's model 361, 697
$Bi_{2+x}Sr_{2-x}CuO_{6\pm y}$ (single crystal) 1029
Bipolaron electron–phonon interaction 245
Bipolaron model 197, 799, 803, 1199
Bipolarons 227
Bipolaronic superconductivity 799
BIS
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1323
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1323
– of $YBa_2Cu_3O_{7-\delta}$ 1323
Bose gas condensation model 249
Breakdown of the Migdal theorem 777
Brillouin scattering
– in $Bi_2Sr_2CaCu_2O_x$ (single crystal) 1073
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1073
Broadening of the resistive transition
– in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 1017
– in $YBa_2Cu_3O_{7-\delta}$ single crystal 669
Broadening phenomena of the resistive transition 1693
Broken time reversal invariance in t-J model 1459
Bulk modulus
– of $YBa_2Cu_3O_{7-\delta}$ 452, 540

Calculation of NQR spectra
– in $YBa_2Cu_3O_{7-\delta}$ 261
Carrier concentration dependence on T_c
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 291
CDW 12
Characterization 1029
– of $YBa_2Cu_3O_{7-\delta}$ 905
– of $YBa_2Cu_3O_{7-\delta}$ (film) 321
Charge density wave instability 817
Charged vortices 777
Charge fluctuations 1511
Charge transfer 281, 313, 538
Chemical vapor deposition
– of $YBa_2Cu_3O_{7-\delta}$ 105
Citrate pyrolysis method 903
Cluster variation method (CVM) 225
Coatings
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 139
– of $YBa_2Cu_3O_{7-\delta}$ 139
Cobalt clusters
– in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ 51
Coevaporation
– of $YBa_2Cu_3O_{7-\delta}$ 107
Coexistence of antiferromagnetism and RVB states 761
– in $GdBa_2Cu_3O_{7-\delta}$ 1293
Coexistence of paramagnetism and superconductivity
– in $(Gd_{0.2}Ca_{0.8})Sr_2(Tl_{0.5}Pb_{0.5})Cu_2O_y$ 323
Coexistence of superconductivity and magnetism
– in $YBa_2Cu_3O_{7-\delta}$ 157
Coherence length 735
Collective pinning 239
Collective quantum tunneling model 813
Colloidal sol–gel precursor technique 931
Combined phonon and high energy boson mechanism 1491
Commensulate flux phase (CFP) approach 819
Competition between magnetic and Fermi liquid phases 1465
Composite bosons 1457
Contact resistance
– of $YBa_2Cu_3O_{7-\delta}$ 437
Conversion electron Mössbauer spectroscopy
– in $YBa_2Cu_3O_{7-\delta}$ 1297
Correlation between hole concentration and T_c
– in $Tl_2Ba_2CuO_{6+\delta}$ 991
Correlation of T_c with density of states peaks 1655
Coulomb correlation effects
– in $YBa_2Cu_3O_{7-\delta}$ 757
Critical current 239, 241, 381
– in $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 917
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1148
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) 363, 893
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 361, 1189
– in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{16+\delta}$ (bulk) 1171
– in Bi–Pb–Sr–Ca–Cu–O 1165, 1261
– in Bi–Sr–Ca–Cu–O (film) (RF magnetron sputtering) 367
– in Bi–Sr–Ca–Cu–O glass 927
– in Bi–Sr–Ca–Cu–O (single crystal) 1631
– in Bi–Sr–Ca–Cu–O thin film 649
– in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) 663
– in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) 1271
– in Nb/NbTi superlattice 411
– in Nb–Al (film) 433
– in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 957
– in $REBa_2Cu_3O_{7-\delta}$ (single crystal) (RE=Y,Gd,Er,Ho) 361
– in $Tl_2Ba_2CaCu_2O_{8+\delta}$ (single crystal) 361
– in $Tl_2CaBa_2Cu_2O_{8+\delta}$ 393
– in Tl–Ba–Ca–Cu–O (film) (RF magnetron sputtering) 367
– in $Y_{0.7}Yb_{0.3}Ba_2Cu_3O_x$ 693
– in $Y_{0.9}Yb_{0.1}Ba_2Cu_3O_x$ 693
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co,Zn) 1605
– in $YBa_2Cu_2O_{8+\delta}$ (thin film) 1169
– in $YBa_2Cu_3O_{7-\delta}$ 1171, 1187, 1217, 1623
– in $YBa_2Cu_3O_{7-\delta}$ (epitaxial, $SrTiO_3$) 625
– in $YBa_2Cu_3O_{7-\delta}$ (granular film) 365
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1621
– in $YBa_2Cu_3O_{7-\delta}$ (thick film, screen printed) 1265
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 687, 1535, 1603
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, laser ablation, MgO, ZrO_2, $SrTiO_3$) 1175
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) 1557
– in $(YBa_2Cu_3O_x)_{0.7}Ag_{0.3}$ 693
– in $YBa_2Cu_3O_{7-\delta}$–Ag 351
– in $YBa_2Cu_3O_{7-\delta}$–Ag_2O 1179
– in $YBa_2Cu_3O_{7-\delta}$–Ag–Pb (thin film) 1615
Critical current density 369
Critical current fibers
– in $YBa_2Cu_3O_{7-\delta}$ 383
Critical current in superconductivity glass 233
Critical current (magnetic)
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 319
– in Bi–Sr–Ca–Cu–O (textured tape) 685
– in $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) 1629
– in $YBa_2Cu_3O_{7-\delta}$ 333, 357
– in $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) ($SrTiO_3$) 331
– in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) 689
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 751
Critical current (magnetization)
– of $YBa_2Cu_3O_{7-\delta}$ (thick films) 131

Critical current of grain boundaries 273
Critical current (theory) 347, 353
Critical current (transport)
– in $Bi_2Sr_2Ca_2Cu_2Cu_{4.5}O_x$ thin film 669
– in $Bi_2Sr_2CaCu_2Cu_2O_x$ 669
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 359
– in Bi–Sr–Ca–Cu–O 359
– in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1625
– in $YBa_2Cu_3O_{7-\delta}$ film (CVD) 105
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 653
Critical field
– of Nb/NbTi superlattice 411
Critical temperature (calculation) 801
Critical temperature (theory) 1507
Crystal chemistry 3
Crystal field
– of $ErBa_2Cu_3O_{7-\delta}$ 538
Crystal fields
– in $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd, M=Ce,Th) 296
Crystal structure
– of $Ba_{1-x}Tl_xCuO_{2+\delta}$ 29
– of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 577
– of $La_{1.1}Sr_{1.9}Cu_2O_{5.83}$ 542
– of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ 983
– of $La_2CuO_{4.032}$ single crystal 57
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 534
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0,0.5) 875
– of Tl–Ba–Ca–Cu–O 514
– of Tl–Pb–Sr–Ca–Cu–O 514
Crystal structure of T^*-phase 1681
Current–voltage characteristics
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1617

DC Josephson effect
– of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 393
– of $YBa_2Cu_3O_{7-\delta}$ 393
DC magnetron sputtering 607
DC sputtering 707
DC SQUID
– of Bi–Sr–Ca–Cu–O thin film 709
– of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 393
– of $YBa_2Cu_3O_{7-\delta}$ 393
Debye temperature
– of $YBa_2Cu_3O_{7-\delta}$ 1401
Decay of magnetization (calculation) 347
Defects 3
Density of states (DOS)
– in $YBa_2Cu_3O_{7-\delta}$ 1015, 1357
Detector 391
Developer 601
Diamagnetic shielding
– in $YBa_2Cu_3O_{7-\delta}$ 1185
– of Tl–Ba–Ca–Cu–O (thin film) 673
Dielectric constant
– of $La_2CuO_{4-\delta}$ 1031
Dielectric response in high T_c superconductors 759
Diffusion coefficient of oxygen
– in $YBa_2Cu_3O_{7-\delta}$ 143
Disorder effect 1019
Doping effects 1677
Doping into $La_2CuO_{4-\delta}$ 959
DTA analysis
– in $YBa_2Cu_3O_{7-\delta}$ 905
D-wave superconductivity 1673
Dynamic Jahn–Teller effect 1475
Dyons 791

Effective Hamiltonian for high T_c oxides 775
Effective mass
– in $Bi_{1-x}Pb_xCaSrCu_{1.8}O_y$ 1235
Effect of H_2O
– on $YBa_2Cu_3O_{7-\delta}$ (film) 611
Effect of halogen vapor (Cl,Br,I) on T_c
– in $YBa_2Cu_3O_6$ 79
Effect of hydrogen
– in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ 65
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 65
– in $YBa_2Cu_3O_{7-\delta}$ 65
Effect of Mg on T_c
– in $Bi_2Sr_2Ca_2Cu_3O_x$ 35
Effect of Pb
– on $Bi_2Sr_2CaCu_2O_{8+\delta}$ 85
Effect of Pb layer
– on Bi–Sr–Ca–Cu–O film 617
Effect of substitution (3d elements)
– in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n=2, 3) 25
Effect of twins on critical current
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Co,Zn) 1605
Effect of wet O_2 621
Effects of annealing
– in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 1215
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1215
Elastic constants
– of $Bi_2Sr_2CaCu_2O_x$ (single crystal) 1073
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 460
– of $La_2CuO_{4-\delta}$ 460
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1073
Elastic properties
– of $YBa_2Cu_3O_{7-\delta}$ 540
Electric change Bose condensation 791
Electric field effect
– on $YBa_2Cu_3O_{7-\delta}$ 435
Electric field gradient calculations
– of $YBa_2Cu_3O_{7-\delta}$ 1353
Electrical resistivity
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1397
– of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) 719
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial growth film) 127
Electro chemistry
– in $YBa_2Cu_3O_{7-\delta}$ 1039
Electronic band structure
– of $Ba_{1-x}K_xBiO_3$ 1435
– of $BaPb_{1-x}Bi_xO_3$ 1435
– of $KCuF_4$ 1439
– of La_2CuO_4 1439
– of La_2NiO_4 1439
– of $TlBa_2Ca_{n-1}Cu_3O_{2n+3}$ (n=1,2,3,4) 1355
Electronic band structure (T and T^*)
– of $RE_2CuO_{4-\delta}$ 1351
Electron doped superconductor 825
Electron energy loss spectra (EELS)
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 1415
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 1415
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1415
Electronic instability 1513
Electron irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ 357
Electron irradiation effect of T_c
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 749
Electron microscopy
– of $Bi_4Sr_8Cu_5O_{19+\delta}$ 865
– of Bi–Pb–Sr–Ca–Cu–O wires 943
– of $Pb_2Sr_2(Ca_y)Cu_3O_{8+\delta}$ 951
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 53
– of $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) 77
– of $YBa_2Cu_3O_{7-\delta}$ 548
Electron–phonon coupling with excitons 1527
Electron–phonon interaction 1453, 1709
– in $Ba_{1-x}K_xBiO_3$ 1053, 1435
– in $BaPb_{1-x}Bi_xO_3$ 1435
Electron–phonon interaction (calculation) 1463
Electron spin resonance
– in $Bi_{2-x}Gd_xSr_2Ca_2Cu_3O_{10+\delta}$ 1289
– in $GdBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1293
– in $GdBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ni,Co) 1287
– in $GdBa_2Cu_3O_{7-\delta}$ 1287
– in $Y_{1-x}Gd_xBa_2Cu_3O_{7-\delta}$ 1289
Electronic structure 769, 1529
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1321
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 1315
– of $CaCuO_2$ 1431
– of $La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ 1329
– of La_2CuO_4 583
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 1321
– of $Pb_2Sr_2PrCu_3O_{8+\delta}$ 1373
– of $YBa_2Cu_3O_{7-\delta}$ 223, 1321
Electronic structure of high T_c superconductors 1437

Electronic structure of the copper oxides 1419
Electronic structure (theory) 1513
Electron superconductivity 591
Electron type superconductivity
– in $TlCa_{1-x}Ln_xSr_2Cu_2O_{7+\delta}$ (Ln = rare earths) 865
Electron type superconductors 285
Electrophoretic deposition
– of $YBa_2Cu_3O_{7-\delta}$ 111
Eliashberg theory 1493
Emery model 783
Energy band calculation 1335
– in CuO 1349
– in $La_2CuO_{4-\delta}$ 1349
Energy gap of Bose gas condensed superconductors 249
Entanglement of the flux line 1156
Entanglement of the flux line lattice 231
Epitaxial CuCl on Si 554
Epitaxial growth
– of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation, MgO) 659
– of $YBa_2Cu_3O_{7-\delta}$ (film) 135
– of $YBa_2Cu_3O_{7-\delta}$ (film) ($SrTiO_3$) 127
Epitaxial thin film
– of $YBa_2Cu_3O_{7-\delta}$ 643, 655
ESR
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1005, 1647
– in κ-(BEDT-TTF-h_8)$_2$Cu(NCS)$_2$ 577
– in $Ln_2Cu_2O_5$ (Ln = Y,Tb,Lu) (single crystal) 253
– in $YBa_2Cu_3O_{7-\delta}$ 1589
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1583, 1597
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1585
Excitonic superconductivity 1443
Excitonic superconductors 307
Extended Hubbard Hamiltonian 1467
Extended Hubbard model 767
Extended Hubbard model (Emery–Hirsch model) 763

Far-infrared spectroscopy
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1083
– of Bi–Pb–Sr–Ca–Cu–O (thin film, MgO) 1077
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (single crystal) 1079
– of $YBa_2Cu_3O_{7-\delta}$ 1079
– of $YBa_2Cu_3O_{7-\delta}$ (thin film, MgO) 1081
Fast neutron irradiation 1019
Fermi edge
– in $BaPb_{1-x}Bi_xO_3$ (single crystal) 1319
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1323
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1381
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 1315
– in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1323
– in $YBa_2Cu_3O_{7-\delta}$ 1323
Fermi surface
– of κ-(BEDT-TTF)$_2$Cu(NCS)$_2$ 577
Fermi surface geometry 769
Fermi surface topology 1503
Ferroelectricity
– of Bi–Sr–Ca–Cu–O 891
Fibers
– of $YBa_2Cu_3O_{7-\delta}$ (pendant drop melt extraction) 383
Filament
– of $YBa_2Cu_3O_{7-\delta}$ 558
Films 629
Fine grained
– of $YBa_2Cu_3O_x$ 933
Fluctuating flux lines 239
Fluctuation conductivity 1441
– of $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ 723
– of $YBa_2Cu_3O_{7-\delta}$ 490
Fluctuation effects 1693
Fluctuation effects in specific heats 1469
Fluctuation effects of the vortex positons 1167
Fluctuation effects on the flux flow resistivity 275
Fluctuation induced pair breaking 1441
Fluctuation noise
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1203
Flux creep 237, 239, 661
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1148
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) 363
– in Bi–Sr–Ca–Cu–O 665
– in Bi–Sr–Ca–Cu–O (textured tape) 685
– in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) 663
– in granular Y–Ba–Cu–O 1177
– in Tl–Ba–Ca–Cu–O 691
– in Tl–Ba–Ca–Cu–O (thin film) 673
– in $TmBa_2Cu_3O_{7-\delta}$ (untwinned single crystal) 1193
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1183
– in $YBa_2Cu_3O_{7-\delta}$ 231, 699, 701, 1148, 1185, 1187
– in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) 689
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1181
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 683, 1175, 1599
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) 1191
Flux flow 237, 275, 1169
– in $YBa_2Cu_3O_{7-\delta}$ 1185
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 669, 1181
Flux flow (calculation) 681
Flux lattice melting 235, 1156
– of $Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_x$ 667
– of $Bi_{2.5}Pb_{0.5}Sr_{2.5}Ca_{1.5}Cu_2O_x$ 667
Flux lattice structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 679
Flux line lattice melting
– in Bi–Sr–Ca–Cu–O 665
Flux line lattice (theory) 1689
Flux motion
– in $YBa_2Cu_3O_{7-\delta}$ 1152
Flux motion due to Lorentz force 605
Flux phase 12, 819
Flux pinning 353, 1167
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 857
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) 363
– in $Ca_2Ba_2Cu_3O_x$ (thin film) 677
– in granular superconductors 1177
– in Nb–Al (film) 433
– in $Tl_2CaBa_2Cu_2O_x$ (single crystal) 677
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe,Ni) 1601
– in $YBa_2Cu_3O_{7-\delta}$ 339, 1169, 1263
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 751, 1181, 1621
– in $YBa_2Cu_3O_{8+\delta}$ (thin film) 1169
Flux pinning force
– of $YBa_2Cu_3O_{7-\delta}$ 675
Flux pinning potential
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1189
Flux state 587
Formation of a narrow band with hole doping 1509
Fourier transform interferometry (FT-Raman)
– in $YBa_2Cu_3O_{7-\delta}$ 1103
Fractional statistics approach 819, 1525

Gaussian fluctuations
– in $YBa_2Cu_3O_{7-\delta}$ 490
Generalized energy gap in narrow s-band 793
Generalized Ginzburg–Landau theory 251
Generalized t-J model 773, 1525
Ginzburg–Landau theory 273, 1521, 1689, 1693
Glass state
– of Bi–Sr–Ca–Cu–O 891
Glass state by quenching
– of Bi–Pb–Sr–Ca–Cu–O 901
Grain boundaries 273
– in Bi–Sr–Ca–Cu–O 21

– in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1625
– in $YBa_2Cu_3O_{7-\delta}$ 558, 1093
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1603
– in $YBa_2Cu_3O_{7-\delta}$–Ag_2O 1179
Granular superconductivity 229, 369, 375, 1567
– in $BaPb_{1-x}Bi_xO_3$ 727
– in $(Bi_{0.9}Pb_{0.1})SrCaCu_{1.8}O_{10+\delta}$ 327
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1613
– in Bi–Sr–Ca–Cu–O 21
– in $YBa_2Cu_3O_{7-\delta}$ 327, 717, 1543
Granular superconductors 999, 1547
Green function Monte Carlo (GFMC) numerical calculations 1455
G-values
– of $GdBa_2Cu_3O_{7-\delta}$ 1287

Hall concentration
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}H_x$ 65
– of $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ 65
– of $Nd_{1+x}Ba_{2-x}Cu_{3-z}Zn_zO_{7-\delta}$ 63
– of $Nd_{1+x-y}Ca_yBa_{2-x}Cu_3O_{7-\delta}$ 63
– of $YBa_2Cu_3O7-\delta H_x$ 65
Hall concentration dependence of T_c 63
– in $Bi_2(Sr_{1.5}Ca_{0.5})Ca_{1-z}Y_zCu_2O_{8+\delta}$ 69
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 67
– in $Bi_{2-z}Pb_z(Sr_{1.5}Ca_{0.5})$-$Ca_{1-z}Y_zCu_2O_{8+\delta}$ 69
– in $Y_{1-x}Ca_xBa_{z-2y}La_{2y}Cu_3O_{7-\delta}$ 69
Hall effect 1001
– in $Bi_{1-x}Pb_xSrCaCu_{1.8}O_x$ 1639
– in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) 1009
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1005
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1397
– in $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) 1205
– in $Bi_{2-x}M_xSr_2Ca_{n-y}M_yCu_mO_2$ (n=1,2; m=2,3,4,5) 1199
– in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{8+\delta}$ 1197
– in Bi–Pb–Sr–Ca–Cu–O 999
– in $GdBa_2Cu_3O_{7-\delta}$ ($0.45<\delta<1$) 1033
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 1677
– in $Ln_{2-x}Ce_xCuO_{4-\delta}$ 1209
– in $Nd_2CuO_{4-x-\delta}F_x$ (Ln=Nd, Pr, Sm) 1209
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1677
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) 1013
– in $Tl_2Ba_2CaCu_2O_x$ (thin film) 1011
– in $Tl_2Ba_2CuO_{6+\delta}$ 991
– in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ 1007
– in $YBa_2Cu_3O_{6.5}$ (single crystal) 1013
– in $YBa_2Cu_3O_7$ 997
– in $YBa_2Cu_3O_{7-\delta}$ 213, 1661
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1009
– in $YBa_2Cu_{3-x}Fe_xO_{7+y}$ 1201
Heavy fermion compounds 1653
– of $U_{0.981}Th_{0.019}Be_{12.97}B_{0.03}$ 429
– of $U_{1-x}Th_xBe_{13}$ 429
– of $U_{1-x}Th_xBe_{13}$ and UPt_3 1669
Heavy fermion compound UPt_3 413
Heavy fermions 821
– in UPt_3 (single crystal) 415
Heavy fermion superconductors UBe_{13}, UPt_3 419
Heisenberg model 1479
He^+ ion channeling
– in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) 1009
– in $PrBa_2Cu_3O_{7-\delta}$ (single crystal) 949
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1009
High frequency resistivity
– of $La_2CuO_{4-\delta}$ 1031
High pressure NQR
– of $YBa_2Cu_3O_{7-\delta}$ 173
High pressure resistivity
– of $Bi_2CaSr_2Cu_2O_{8+\delta}$ 737
High pressure synthesis
– of $La_{1-x}M_xCuO_3$ 899
High resolution angular resolved photoemission
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1697
High resolution Auger electron spectroscopy
– in $La_{15.8}(Sr,Ba)_{0.15}CuO_{4-\delta}$ 1329
High resolution electron microscopy (HREM)
– of $Bi_{1.5}Pb_{0.8}Sb_{0.1}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ 635
– of $YBa_2Cu_3O_{7-\delta}$ 560
High resolution photoemission spectroscopy
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 845
High resolution scanning ion microprobe
– of epitaxial $YBa_2Cu_3O_{7-\delta}$ (film) 75
High resolution transmission electronmicroscopy
– of Bi–Sr–Ca–Cu–O 21
High resolution X-ray powder diffraction
– of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 530
Hole quasiparticle in antiferromagnets 1481
Hole superconductivity 591
Holons 797
Holstein Hamiltonian 1453
Hopfield factor 1347
Hopper growth
– in $YBa_2Cu_3O_{7-\delta}$ 897
Hot extrusion
– of Bi–Sr–Ca–Cu–O 379
Hubbard cluster 1523
Hubbard Hamiltonian 779
Hubbard model 12, 199, 211, 245, 300, 307, 587, 763, 775, 823, 1445, 1459, 1463, 1471, 1473, 1485, 1487, 1489, 1501, 1525
Hubbard model (2D) 771
Hubbard model (half-filled) 227
Hubbard model in square and triangular lattices 1447
Hubbard model in strong coupling limits 1337
Hyperfine interaction
– in $EuBa_2Cu_3O_{7-\delta}$ 568
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ ($0.01\leqslant x\leqslant 0.15$) 1371
Hysteresis loop of a thin film ring
– of $YBa_2Cu_3O_{7-\delta}$ 625

Impurity effect
– in $LaAl_2$:Gd 403
Incommensulate magnetic phases 823
Inductivity coupled plasma atomic emission spectrometry (ICPAES) 617
Inelastic light scattering 829
Inelastic neutron scattering
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 462
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1359
– in $H_xYBa_2Cu_3O_{7-\delta}$ 1369
– in $La_2CuO_{4-\delta}$ (single crystal) 1705
– in $Y_{0.5}Pr_{0.5}Ba_2Cu_3O_{7-\delta}$ 462
– in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ 462
– in $YBa_2Cu_3O_6$ 464
– in $YBa_2Cu_3O_{6+\delta}$ (single crystal) 1269
– in $YBa_2Cu_3O_7$ 464
– in $YBa_2Cu_3O_{7-\delta}$ 462, 466, 1705
Inelastic neutron scattering from fermions and bosons 247
Infrared absorption
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 841
– of $YBa_2Cu_3O_{7-\delta}$ 841
Infrared absorption (theory) 203
Infrared reflection
– in $Pb_2Sr_2YCu_3O_{8+\delta}$ 1345
– in $REBa_2Cu_3O_{7-\delta}$ (RE=rare earths) 1343
– in $TlBa_2Ca_{n-1}Cu_nO_{3+2n}$ 1343
Infrared reflection spectra
– of $Bi_{1-x}Pb_xCaSrCu_{1.8}O_y$ 1235
Infrared reflectivity
– in $Ba_{1-x}K_xBiO_3$ 1405
Infrared spectroscopy
– in $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) 1085
– of La_2CuO_4 1107
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 67
– of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ 1075
– of $Tl_2Ba_2Ca_{1-x}Gd_xCu_2O_{8+\delta}$ 1107
– of $Tl_2Ba_2CaCu_2O_{8+\delta}$ (thin film) 1111
– of $YBa_2Cu_3O_{6+\delta}$ 1113
– of $YBa_2Cu_3O_{7-\delta}$ 1107
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1247

Inhomogeneous superconductivity
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 41
In situ epitaxial growth
– of $YBa_2Cu_3O_{7-\delta}$ thin film (DC magnetron sputtering, $SrTiO_3$) 647
In situ growth
– of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) 645
– of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) 623
– of $YBa_2Cu_3O_{7-\delta}$ thin film 657
– of $YBa_2Cu_3O_{7-\delta}$ thin film (RF magnetron sputtering, MgO) 651
In situ growth condition
– of $YBa_2Cu_3O_{7-\delta}$ thin film 703
Interacting hole spin model 1505
Interband conductivity (calculation) 817
Interfacial superconductivity
– in CuCl:Si 554
Intergranular flux pinning
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe,Ni) 1601
Interlayer coupling (theory) 353
Interlayer Josephson pair tunneling 1445
Interlayer pairing via plane-chain charge transfer 767
Internal friction
– in $YBa_2Cu_3O_{7-\delta}$ 953
Intrinsic flux pinning mechanism 241
Ion channeling (He^+)
– in $PrBa_2Cu_3O_{7-\delta}$ (single crystal) 949
Ion irradiation effect
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 532
Irradiation effect
– of $YBa_2Cu_3O_{7-\delta}$ (film) on T_c 135
Irradiation effect of the resistive transition
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 749
Irradiation effect on the resistive transition
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 747
Irradiation effects on structure
– of $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) 77
Isochoric equilibrium condition
– in $YBa_2Cu_3O_{7-\delta}$ 905
Isotope effect
– in $Ba_{1-x}K_xBiO_3$ 1405
– in Tl–Ca–Ba–Cu–O 877
Isotope effect of oxygen
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 755
– in $YBa_2Cu_3O_{7-\delta}$ 753
Isotope effect of RVB model 201
I-V characteristics
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{16+\delta}$ (bulk) 1171
– of $YBa_2Cu_3O_{7-\delta}$ 1043, 1171
– of $YBa_2Cu_3O_{7-\delta}$ (granular film) 365

Jahn–Teller effect 307
Josephson coupling 353
Josephson effect
– in $YBa_2Cu_3O_{7-\delta}$ 1567
Josephson junction 399
– of $YBa_2Cu_3O_{7-\delta}$ 1063

Kinetic mechanism 1485
Knight shift
– in $Ba_2Sc_2O_5$ 255
– in $Ba_2ScCuO_{4.5}$ 255
– in $Ba_3Sc_4Cu_3O_{12}$ 255
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 195
– in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 195
– in $YBa_2Cu_3O_{7-\delta}$ 179, 195, 853
Kondo bosons 1463
Kondo effect
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 89
Kondo–Heisenberg Hamiltonian 1337
Korringa relation
– in $YBa_2Cu_3O_{7-\delta}$ 853
Kosterlitz–Thouless transition 496, 1517

Langevin method 1489
Large bipolaron 799
Large scale applications 381
Laser ablation
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 119
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 119
– of $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ (film) 133
– of $YBa_2Cu_3O_{7-\delta}$ 119, 131
– of $YBa_2Cu_3O_{7-\delta}$ (film) on $SrTiO_3$, ZrO_2 123
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) on $MgO,ZrO_2,SrTiO_3$ 125
Laser critical field
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 733
Laser deposition
– of $YBa_2Cu_3O_{7-\delta}$ (film) on Zr_2O_3, Al_2O_3 121
Laser heated pedestal growth (LHPG) 907
Lattice dynamics
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1495
– of $Pb_2Sr_2YCu_3O_{8+\delta}$ 1345
– of $REBa_2Cu_3O_{7-\delta}$ (RE=rare earths) 1343
– of $TlBa_2Ca_{n-1}Cu_nO_{3+2n}$ 1343
– of $YBa_2Cu_3O_6$ 1429
– of $YBa_2Cu_3O_7$ 1429
Lattice instability 1341
– in $La_2CuO_{4-\delta}$ 1037
Lattice instability in high T_c superconductors 456
Layered superconductivity 1559, 1561
Layered superconductor V/Cu 425

Lindemann criterion 235
Linear muffin-tin orbitals (LMTO) method 1439
Lipolarons 1519
Lithographic method 601
LMTO-ASA method 1351
Local density approximation (LDA) 583, 1327
Local electron pair superconductivity 245
Localization
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 993
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1021
Localized oxygen p-holes
– in $YBa_2Cu_3O_{7-\delta}$ 439
Local potential distribution
– of $YBa_2Cu_3O_{6.9}$ (thin film) 1035
Local spin density approximation (LSDA)
– in $CaCuO_2$ 1431
– in Sr_2VO_4 1433
Local spin screening 821
Long period polytypes
– in $Tl_2Ba_2Ca_nCu_{1+n}O_{6+2n}$ (n=3,4) 947
Loop antenna fabricated by a superconductor 385
Low energy interlayer plasmons 1427
Low energy optical excitation 1239
Lower critical field
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1553
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1551
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 27
– of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ 27
– of Bi–Sr–Ca–Cu–O (single crystal) 1631
– of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 1209
– of $Tl_2Ba_2CaCu_2O_x$ (single crystal) 1143
– of $TmBa_2Cu_3O_{7-\delta}$ (single crystal) 1611, 1633
– of $YBa_2(Cu_{0.98}M_{0.02})O_{7+\delta}$ (M=Ni,Al) 1627
– of $YBa_2Cu_3O_{7-\delta}$:Hf 1573
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 329
Lower critical field H_{c1}
– of Nb,Ta,V,$CaAl_2$ 401
Low field magnetization
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1551
Low resistance contacts
– on $YBa_2Cu_3O_{7-\delta}$ 1061

Mössbauer effect
– in $Bi_2Sr_2Ca(Cu_{1-x}Fe_x)_2O_{8+\delta}$ 45
– in $EuBa_2Cu_3O_{7-\delta}$ 568
– in $HoBa_2(Cu_{0.95}Fe_{0.05})_3O_{7-\delta}$ 1291

– in $K_{0.4}Ba_{0.6}Bi_{1-x}Sb_xO_3$ 91
– in $Pb_{0.3}Bi_{1.8-x}Sb_xSr_{1.9}Ca_2Cu_3O_{10+\delta}$ 95
– in $Y_{1-x}Pr_xBa_2Cu_{2.7}Fe_{0.3}O_{7-\delta}$ 1281
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{4-\delta}$ single crystal 37
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 45, 987, 989, 1259, 1367
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ $(0.01 \leqslant x \leqslant 0.15)$ 1371
– in $YBa_2(Cu_{1-x}Sn_x)_3O_{7-\delta}$ 47
– in $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 570
Machinability of superconductivity
– of Bi–Sr–Ca–Cu–O 879
Magnetic correlations
– in $La_2CuO_{4-\delta}$ 849
– in $YBa_2Cu_3O_{6.6}$ (superconducting) 159
– in $YBa_2Cu_3O_{7-\delta}$ 849
Magnetic excitations
– in CuO 1279
– in $La_2CuO_{4-\delta}$ 829
Magnetic field density of vortex lattice 257
Magnetic field distribution
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1183
Magnetic field penetration
– in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) 1271
Magnetic hysteresis
– in $YBa_2Cu_3O_{7-\delta}$ 335
Magnetic hysteresis (ac)
– in $YBa_2Cu_3O_{7-\delta}$ 333
Magnetic-superconducting phase diagram
– of $(La,Sr)_2Cu_{1-x}Fe_xO_{4-\delta}$ 31
– of $YBa_2Cu_3O_{7-\delta}$ 33, 157
Magnetic interactions
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Gd,Dy,Er) 1277
Magnetism
– of $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd, M=Ce,Th) 296
Magnetization 369
– of $BaPb_{1-x}Bi_xO_3$ 727
– of $Bi_{1.6}Pb_{0.3}Sb_{0.1}Sr_2Ca_2Cu_3O_x$ 729
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_4O_x$ 729
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (melt processed) 363
– of $(Gd_{0.2}Ca_{0.8})Sr_2$-$(Tl_{0.5}Pb_{0.5})Cu_2O_y$ 323
– of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) 349
– of $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) 1629
– of $La_2CuO_{4-\delta}$ (single crystal) 1299, 1301
– of $La_{2-x}Sr_xNiO_{4-\delta}$ 1273
– of $LaAl_2$:Gd 403
– of Mo/V and Nb/Pd multilayer 409
– of Nb powder 337
– of Nb,Ta,V,$CaAl_2$ 401
– of $Tl_2Ba_2CaCu_2O_x$ (single crystal) 1143
– of Tl–Ba–Ca–Cu–O (thin film) 673
– of $TmBa_2Cu_3O_{7-\delta}$ (single crystal) 1633
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe,Ni) 1601
– of $YBa_2Cu_3O_{7-\delta}$ 175, 335, 337, 470, 675, 697, 933
– of $YBa_2Cu_3O_{7-\delta}$ (film) 107
– of $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ 827
– of $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) 689
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal 1637
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 1609
– of $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) 1557
Magnetization (DC)
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 329
Magnetization (high field)
– of $YBa_2Cu_3O_{7-\delta}$ 1659
Magnetization (low field)
– of $(Bi_{0.9}Pb_{0.1})Sr_1Ca_1Cu_{1.8}O_{10+\delta}$ 327
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 341
– of $YBa_2Cu_3O_{7-\delta}$ 327
Magnetization measurements
– of $(La,Sr)_2Cu_{1-x}Fe_xO_{4-\delta}$ 31
Magnetization relaxation
– in $(BEDT\text{-}TTF)_2Cu(SCN)_2$ (single crystal) 695
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 661
– in Bi–Sr–Ca–Cu–O (textured tape) 685
– in $Ca_2Ba_2Cu_3O_x$ (thin film) 677
– in $CeCu_2Si_2$ (single crystal) 695
– in epitaxial $YBa_2Cu_3O_{7-\delta}$ (thin film) 663
– in $Tl_2CaBa_2Cu_2O_x$ (single crystal) 677
– in Tl–Ba–Ca–Cu–O 691
– in $TmBa_2Cu_3O_{7-\delta}$ (untwinned single crystal) 1193
– in $YBa_2Cu_3O_{7-\delta}$ 1185, 1263
– in $YBa_2Cu_3O_{7-\delta}$ (neutron irradiated) 689
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 695, 1152
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 661, 687
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, epitaxial) 1191
Magnetic mechanism of superconductivity 263
Magnetic moment relaxation
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 423
Magnetic order
– in $YBa_2Cu_3O_{6+\delta}$ (single crystal) 1269
Magnetic order of Er^{3+}
– in $ErBa_2Cu_3O_{7-\delta}$ 153
Magnetoresistance
– of $La_2CuO_{4-\delta}$ (single crystal) 1301
– of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Pr, Ho, Gd, Eu) 371
Magnetostriction
– of $HoBa_2Cu_3O_{7-\delta}$ 1361
– of $YBa_2Cu_3O_{7-\delta}$ 1361
Magnetic pair breaking
– in $RE_5Os_4Si_{15}$ (RE=Y,Tb,Er) 407
– in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 1363
Magnetic phase diagram
– of $YBa_2Cu_3O_{7-\delta}$ 167
Magnetic phase diagram (theory) 763
Magnetic relaxation
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 319
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1183
Magnetron sputtering
– of Bi–Pb–Sr–Ca–Cu–O film 117
Magnetic structure
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 522
Magnetic susceptibility
– of $Bi_{1.5}Pb_{0.5}Sr_2CaCu_2O_{8+\delta}$ 1401
– of $Bi_{1.75}Pb_{0.25}Sr_2CaCu_2O_{8+\delta}$ 1401
– of $Bi_2Sr_2CaCu_2O_8$ 1401
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1005
– of $Bi_4Sr_8Cu_5O_{19+\delta}$ 865
– of $GdBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1293
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1401
– of $Y_{1-x}Dy_xBa_2Cu_3O_{7-\delta}$ 831
– of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Dy,Er) 43
– of $YBa_2(Cu_{1-x-y}Fe_yM_x)_3O_{7-\delta}$ 1295
– of $YBa_2Cu_3O_{7-\delta}$ 741, 1401
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1637
– of $YBa_2Cu_{3-x}Ni_xO_{7-\delta}$ 831
– of $YBa_2Cu_4O_8$ 1401
– of $YBa_{3-x}Cu_3O_{7-\delta}$ 831
Magnetic vortex–antivortex pairing
– in $La_2CuO_{4-\delta}$ 1517
Magnon dispersion
– of CuO 1279
Many body band formation in high T_c superconductors 221
Mechanism of crystallization of amorphous thin film
– of $YBa_2Cu_3O_{7-\delta}$ 441
Mechanism of high T_c superconductivity 12
Mechanism of microwave absorption 1577
Meissner effect
– in $Bi_{1.5}Pb_{0.8}Sb_{0.1}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ 635
– in $(Bi_{1.66}Pb_{0.34})Ca_2Sr_2Cu_3O_{10+\delta}$ 502
– in $Bi_{1.6}Pb_{0.2}Sb_{0.2}Sr_2Ca_2Cu_3O_x$ 863

– in $Bi_{1.6}Pb_{0.8}Sr_2Ca_2Cu_{3.6}O_{10+\delta}$ 635
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1365
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 341
– in Nb powder 337
– in UPt_3 (single crystal) 415
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Cr,Zn) 494
– in $YBa_2Cu_3O_{7-\delta}$ 325, 337, 717
– in $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) ($SrTiO_3$) 331
Melted flux liquid 1156
Melting of the flux lattice 231, 235
Melting of the vortex lattice 1167
Melt processing
– of $Bi_2Sr_{2-x}Ca_{n+x}Cu_{n+1}O_y$ 893
Melt-textured $Bi_2Sr_2CaCu_2O_{8+\delta}$ 907
Metal–insulator transition 221
Microbridge
– of $YBa_2Cu_3O_{7-\delta}$ 1043
– of $YBa_2Cu_3O_{7-\delta}$ film 389
Microstructure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 885
– of $Tl_2Ba_2CuO_{6+\delta}$ 885
– of $YBa_2Cu_3O_7$ 885
Microstructure of screen printed thick film
– of $YBa_2Cu_3O_{7-\delta}$ 1265
Microwave absorption 399
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1647
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1569
– in Bi–Sr–Ca–Cu–O 21, 891
– in Bi–Sr–Ca–Cu–O thin film 641
– in $YBa_2Cu_3O_{7-\delta}$ 1539, 1541, 1571, 1577, 1579, 1581, 1589
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1047, 1583, 1597
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1537, 1549, 1585, 1591
– in $YBa_2Cu_3O_{7-\delta}$:Hf 1573, 1575
Microwave absorption (calculation) 1593
Microwave absorption in granular superconductors 1547
Microwave emission
– of Bi–Sr–Ca–Cu–O 1041
– of $YBa_2Cu_3O_{7-\delta}$ 1041
– of $YBa_2Cu_3O_{7-\delta}$ (film, magnetron sputtering) 1567
Microwave induced voltage
– in $YBa_2Cu_3O_{7-\delta}$ 1063
Microwave response
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (thin film) 1545
– of $YBa_2Cu_3O_{7-\delta}$ 1545
Midinfrared band 841
Migdal–Eliashberg theory 1453
Minus-sign problem 1489
Mixed valence
– of $RE_{2-x}Ce_yCuO_{4-\delta}$ 3
Momentum distribution
– of $YBa_2Cu_3O_{7-\delta}$ 1335
Monte Carlo simulation 225
Morphology
– of $YBa_2Cu_3O_{7-\delta}$ film (CVD) 105
Mott transitions
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 215
μ-SR 1555, 1669
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 679, 857
– in $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 155
– in Bi–Sr–Ca–Cu–O 259
– in $ErBa_2Cu_3O_{7-\delta}$ 153
– in $La_{1.8}Sr_{0.15}CuO_4$ 161
– in $La_2CuO_{4+\delta}$ 147
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 145, 857
– in $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd, Sm, Pr) 825
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 857
– in $YBa_2Cu_3O_{6.6}$ 159
– in $YBa_2Cu_3O_{7-\delta}$ 33, 151, 157, 161, 857
– in $YBa_2Cu_3O_yH_x$ 149
Multiband extended Hubbard model 765
Multiband Hubbard model 757, 759, 785, 811
Multicomponent order parameter 269
Multilayers
– of Mo/V and Nb/Pd 409

Nagaoka limit 1487
Narrow band
– in $YBa_2Cu_3O_{7-\delta}$ 1015
N-band Hubbard model 1333
Negative magnetoresistance
– of $Bi_2Sr_2Ca_2Cu_3O_x$ 693
Negative-U Hubbard model 777
Neutron diffraction
– of $La_2CuO_{4.032}$ single crystal 57
– of $YBa_2Cu_{3-x}M_xO_{6+\delta}$ (M=Co,Ni,Al) 1267
– of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ 73
Neutron irradiation
– of $YBa_2Cu_3O_{7-\delta}$ 1023
Neutron irradiation effect
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 751
Neutron scattering
– in $Ba_{1-x}K_xBiO_3$ 1405
– in $La_2CuO_{4-\delta}$ 849
– in $YBa_2Cu_3O_{7-\delta}$ 849
Neutron scattering from fermions and bosons 247
NMR
– of $Ba_2Sc_2O_5$ 255
– of $Ba_2ScCuO_{4.5}$ 255
– of $Ba_3Sc_4Cu_3O_{12}$ 255
– of $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ 183
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 195
– of Bi–Pb–Sr–Ca–Cu–O 267
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 195
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 169
– of $LaBa_2Cu_3O_{7-\delta}$ 169
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 181
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 185
– of $YBa_2Cu_3O_{7-\delta}$ 169, 175, 193, 195, 263, 853
– of $YBa_2Cu_3O_{7-\delta}$ ($0\leqslant\delta\leqslant0.6$) 191
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) ($0\leqslant\delta\leqslant0.45$) 265
NMR in superconductivity glass 233
NMR relaxation rate (calculation) 1529
NMR relaxations time (theory) 1505
Noise due to thermal fluctuation 391
Noise in SQUID
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ 395
– of $YBa_2Cu_3O_{7-\delta}$ 395
Noise of RF-SQUID
– in $YBa_2Cu_3O_{7-\delta}$ 397
Noise performance
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_x$ 395
– of $YBa_2Cu_3O_{7-\delta}$ 395
Noise spectral density
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1203
Noncrossing approximation (NCA) 821
Nonequilibrium hot electron
– in $YBa_2Cu_3O_{7-\delta}$ film 387
Nonequilibrium optical response
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1599
Non-Gaussian fluctuation theory 1693
Nonlinear diamagnetization
– in $YBa_2Cu_3O_{7-\delta}$ 325
Nonlinear microwave response
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1597
Nonlogarithmic flux creep
– in Bi–Sr–Ca–Cu–O 665
Nonmagnetic impurity in magnetic superconductors 1531
Normal state anomalies in high T_c superconductors 303
NQR
– in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ 183
– in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ (n=2,3) 189
– in Bi–Pb–Sr–Ca–Cu–O 267
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 187
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 181
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Nd,Gd,Y) 1367
– in $Y_{1-x}Ca_xBa_2Cu_3O_6$ 165
– in $YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$ 163
– in $YBa_2Cu_3O_{7-\delta}$ 167, 171, 173, 179, 261
Nuclear quadrupole interaction
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 474
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 474
– of $YBa_2Cu_3O_{6.87}$ 474

Nuclear Schottky anomaly
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 472
Nuclear spin lattice relaxation time
– of $Ba_2Sc_2O_5$ 255
– of $Ba_2ScCuO_{4.5}$ 255
– of $Ba_3Sc_4Cu_3O_{12}$ 255
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 187
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 185
– of $YBa_2Cu_3O_{7-\delta}$ 173, 177, 179, 263, 853
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) ($0 \leqslant \delta \leqslant 0.45$) 265
Nuclear spin relaxation
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 169
– of $LaBa_2Cu_3O_{7-\delta}$ 169
– of $YBa_2Cu_3O_{7-\delta}$ 169
Numerical calculations in 2D Hubbard model 771
Numerical function expansion technique 207

One-band Hubbard model 787, 793
One-dimensional Hubbard model 805
Optical emission
– of Tl–Ca–Ba–Cu–O thin film 639
Optical excitations
– in $La_2CuO_{4-\delta}$ 1231
– in $Nd_2CuO_{4-\delta}$ (single crystal) 1231
Optical magnetrometry
– in $YBa_2Cu_3O_{7-\delta}$ 1119
Optical reflectivity
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 1677
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1677
Optical reflectivity in high T_c superconductors 1115
Optical spectra of single crystals
– of $Bi_2(Sr,Ca)_3Cu_2O_{8+\delta}$ 1117
– of $La_{0.85}Sr_{0.15}CuO_{4-\delta}$ 1117
– of $Tl_2Ca_2Ba_2Cu_3O_x$ 1117
– of $YBa_2Cu_3O_{7-\delta}$ 1117
Optical spectroscopy
– of $Ba_{1-x}Kr_xBiO_3$ (single crystal) 1121
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1123, 1229
– of $YBa_2Cu_3O_{7-\delta}$ 1071, 1229
Optoelectronic response
– in $YBa_2Cu_3O_{7-\delta}$ film 387
Organic solvent 601
Organic superconductor
– of $(BEDT\text{-}TTF)_2Cu(NCS)_2$ 405
– of κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$ 577
Oxidation thermodynamics
– of $YBa_2Cu_3O_{7-\delta}$ 439
Oxygen chemistry
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 281
– of $YBa_2Cu_3O_{7-\delta}$ 281
Oxygen concentration
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 929
Oxygen content
– of $BaCuO_{2-\delta}$ 59
– of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 1215
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1215
– of $PrBa_2Cu_3O_{7-\delta}$ 61
– of $YBa_{2-x}La_xCu_3O_{7-\delta}$ 49
– of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ 73
Oxygen defect structure
– of $La_2CuO_{4+\delta}$ 99
– of $La_2NiO_{4+\delta}$ 99
Oxygen diffusion
– in $YBa_2Cu_3O_{7-\delta}$ 55, 143
Oxygen distribution
– in $YBa_2Cu_3O_{7-\delta}$ 23
Oxygen hole pairing 789
Oxygen kinetics
– of $YBa_2Cu_3O_{7-\delta}$ 23
Oxygen ordering
– in $YBa_2Cu_3O_{7-\delta}$ 225, 528, 548, 945
Oxygen stoichiometry
– in $ErBa_2Cu_3O_{7-\delta}$ 538
– in $La_{2-x}Sr_xNiO_{4-\delta}$ 1273
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 285
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 53
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Gd,Na) 97
– in $Tl_2Ba_2CuO_{6+\delta}$ 991
– in $YBa_2Cu_3O_{7-\delta}$ 83, 548, 741, 871, 883, 961
– in $YBa_2Cu_3O_{7-\delta}$ ($\delta > 0.5$) 1207
– in $YBa_2Cu_3O_{7-\delta}$ ($\delta = 0.11, 0.14, 0.17$) 103
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1057
Oxygen vacancy ordering
– in $YBa_2Cu_3O_{7-\delta}$ 223

Pair breaking effect 817
Patterning
– of $YBa_2Cu_3O_{7-\delta}$ thin film 601
Patterning of thin film 605
Penetration depth
– in $(BEDT\text{-}TTF)_2Cu(NCS)_2$ 405
– in $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ 1195
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 857
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1551
– in Bi–Sr–Ca–Cu–O 259
– in $La_2CuO_{4+\delta}$ 147
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 145, 857
– in UBe_{13} and UPt_3 (single crystal) 419
– in $YBa_2Cu_3O_{7-\delta}$ 151, 377, 857, 1571
– in $YBa_2Cu_3O_{7-\delta}$ (film) 1645
– in $YBa_2Cu_3O_{7-\delta}$ (film, electron beam, $SrTiO_3$ single crystal) 1563
– in $YBa_2Cu_3O_{7-\delta}$ (film, $SrTiO_3$ single crystal) 1565
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 443
– in $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) 1549
Penetration depth of layered superconductors 1561
Periodic Anderson model 1509
Perturbed angular distribution (PAD)
– in CuO 345
– in $La_2CuO_{4-\delta}$ 1283
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 345
Phase diagram
– of $Ba_{1-x}K_xBiO_3$ 556
– of $La_2CuO_{4+\delta}$ 99
– of $La_2CuO_{4-\delta}$ 1037
– of $La_2NiO_{4+\delta}$ 99
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 1677
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1677
– of $YBa_2Cu_3O_{7-\delta}$ 883
Phase diagram of the oxygen ordering
– in $YBa_2Cu_3O_{7-\delta}$ 871
Phase diagram (theory) 227
Phase formation
– of Bi–Pb–Sr–Ca–Cu–O 1227
Phase stability
– of $YBa_2Cu_3O_{7-\delta}$ 887
Phase transition 401
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 516
Phenomenological theory of high T_c superconductivity 1137
Phonon density of states
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 462
– in $H_xYBa_2Cu_3O_{7-\delta}$ 1369
– in $Y_{0.5}Pr_{0.5}Ba_2Cu_3O_{7-\delta}$ 462
– in $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ 462
– in $YBa_2Cu_3O_6$ 464
– in $YBa_2Cu_3O_7$ 464
– in $YBa_2Cu_3O_{7-\delta}$ 462, 466
Phonon detectors 389
Phonon dispersion curves
– in $La_2CuO_{4-\delta}$ (single crystal) 1705
Phonon-mediated superconductivity
– in $Ba_{1-x}K_xBiO_3$ 1405
Phonon mode calculation
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1495
Phonon–plasmon mechanism 1471
Phonons
– in $YBa_2Cu_3O_6$ 1429
– in $YBa_2Cu_3O_7$ 1429
Phonon shifts induced by superconductivity 1709
Phonon spectrum
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1359
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 67
Phonon spectrum of the copper oxides 1419
Photoemission
– in $BaPb_{1-x}Bi_xO_3$ (single crystal) 1319
– in $Bi_5Sr_3Ca_2Cu_4O_y$ 1317
Photoemission spectra (calculation) 783
Photoemission spectroscopy

- in $Nd_2CuO_{4-y}F_y$ 1383
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1383
- in $YBa_2Cu_3O_{7-\delta}$ 1385

Photoionization cross section 1327
Photon detection 391
Photoresistance 601
Photoresponse
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1599

Pinning 257
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 319
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1609

Pinning force
- in granular Y–Ba–Cu–O 1177

Pinning mechanism 237
Pinning of two phase superconductivity 243
Plasma sprayed
- $Bi_2Sr_2CaCu_2O_{8+\delta}$ (film) 139
- $YBa_2Cu_3O_{7-\delta}$ (film) 139

Plasmon spectrum 1239
Poisson ratio
- of $YBa_2Cu_3O_{7-\delta}$ 452

Polarizability model 779
Polarized neutron diffraction
- in $HoBa_2Cu_3O_{7-\delta}$ (single crystal) 1271
- in $YBa_2Cu_3O_{6.5}$ (single crystal) 1275

Polarized neutron scattering
- in $YBa_2Cu_3O_{7-\delta}$ 1285

Polarons 1519
Polarons spectroscopy
- in La_2CuO_4 1107
- in $Tl_2Ba_2Ca_{1-x}Gd_xCu_2O_{8+\delta}$ 1107
- in $YBa_2Cu_3O_{7-\delta}$ 1107

Polytypoid structures 635
Position annihilation spectroscopy 1307
Positive-U Hubbard model 313
Positron annihilation
- in $Ba_{0.06}K_{0.4}BiO_3$ 1377
- in Ba–K–Bi–O 1379
- in La_2CuO_4 1375
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 1377
- in NiO 1375
- in $YBa_2Cu_3O_{7-\delta}$ 1375

Positron annihilation spectroscopy
- in $La_{2-x}Sr_xCuO_{4-\delta}$ 1309

Powder neutron diffraction
- of $ErBa_2Cu_3O_{7-\delta}$ 538
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 522
- of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ 518

Power dissipation
- of $YBa_2Cu_3O_{7-\delta}$ 510

Preparation
- of $Ba_{1-x}K_xBiO_3$ 550
- of $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ (laser ablation, Si) 119
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (laser ablation, Si) 119
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) 1205
- of $Bi_3PbSr_3Ca_3Cu_4O_y$ 1221
- of Bi–Pb–Sb–Sr–Ca–Cu–O thick film 635
- of Bi–Pb–Sr–Ca–Cu–O 1227
- of Bi–Pb–Sr–Ca–Cu–O films (magnetron sputtering) 117
- of Bi–Pb–Sr–Ca–Cu–O films (spray pyrolysis) 117
- of Bi–(Pb)–Sr–Ca–Cu–O thin film (DC sputtering, MgO) 613
- of Bi–Pb–Sr–Ca–Cu–O thin film (RF sputtering, MgO) 619
- of Bi–Sr–Ca–Cu–O 1587
- of Bi-Sr-Ca-Cu-O thin film 711
- of Bi–Sr–Ca–Cu–O thin film (electron beam evaporation, MgO) 641
- of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) 617
- of Bi–Sr–Ca–Cu–O_x 923
- of $DyBa_2Cu_3O_{7-\delta}$ thin film (molecular beam epitaxy, $SrTiO_3$) 627
- of (Rb,Ba)BiO_3 thin film (molecular beam epitaxy, $SrTiO_3$, MgO) 633
- of $REBa_2Cu_3O_{7-\delta}$ thin film (RE=Y,Ho,Eu,Sm,Lu,Gd) 715
- of $Tl_2Ba_2Ca_2Cu_3O_y$ 113
- of $Tl_2Ba_2CaCu_2O_y$ 113
- of $Tl_2Ba_2CuO_{6+\delta}$ 109
- of $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ (film) 133
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 109
- of $YBa_2Cu_3O_7-\delta$ (thin film) (laser ablation, Si) 141
- of $YBa_2Cu_3O_{7-\delta}$ 631
- of $YBa_2Cu_3O_{7-\delta}$ by sol-gel method 699
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation) 609
- of $YBa_2Cu_3O_{7-\delta}$ (film) 137
- of $YBa_2Cu_3O_{7-\delta}$ (film) (laser ablation) 123
- of $YBa_2Cu_3O_{7-\delta}$ (film) (laser deposition, Zr_2O_3, Al_2O_3) 121
- of $YBa_2Cu_3O_{7-\delta}$ (films) (pulsed laser deposition, $SrTiO_3$) 129
- of $YBa_2Cu_3O_{7-\delta}$ (laser ablation, Si) 119
- of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) 623
- of $YBa_2Cu_3O_{7-\delta}$ thin film 655, 705, 713
- of $YBa_2Cu_3O_{7-\delta}$ thin film (coevaporation, sapphire, $SrTiO_3$) 621
- of $YBa_2Cu_3O_{7-\delta}$ thin film (DC magnetron sputtering) 599
- of $YBa_2Cu_3O_{7-\delta}$ thin film (electron beam evaporation, MgO) 659
- of $YBa_2Cu_3O_{7-\delta}$ thin film (electron beam, Si, sapphire, $SrTiO_3$) 657
- of $YBa_2Cu_3O_{7-\delta}$ thin film (epitaxial, MgO) 615
- of $YBa_2Cu_3O_{7-\delta}$ thin film (laser ablation, MgO,Si,ZrO_4,$SrTiO_3$) 125
- of $YBa_2Cu_3O_{7-\delta}$ thin film (RF magnetron sputtering, Si) 603
- of $YBa_2Cu_3O_x$ 933

Preparation of glass Bi–Pb–Sr–Ca–Cu–O 901
Preparation of glass Bi–Sr–Ca–Cu–O by melt quench 927
Preparation of thick film
- of Bi–Sr–Ca–Cu–O 881

Preparation of thin film
- of $YBa_2Cu_3O_{7-\delta}$ (electron gun, BeO) 611

Preparation of thin film (by chemical spray, DC magnetron sputtering) 1041
Pressure dependence of T_c
- in $Ba_{1-x}K_xBiO_3$ 743
- in $BaPb_{1-x}Bi_xO_3$ 743
- in $Bi_2CaSr_2Cu_2O_{8+\delta}$ 737
- in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 745
- in $Tl_2CaBa_2Cu_2O_{8+\delta}$ 741
- in $YBa_2Cu_3O_{6.9}$ (single crystal) 739
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 741, 747

Pressure effect
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) 427

Pressure effect of contact resistance
- in $YBa_2Cu_3O_{7-\delta}$ 437

Pressure effect of T_c
- in $RE_5Os_4Si_{15}$ (RE=Y,Tb,Er) 407

Pressure effect on T_c 1451
- of κ-(BEDT-TTF-h_8)$_2I_3$ 577

Proximity effect
- in Mo/V and Nb/Pd multilayer 409
- in $YBa_2Cu_3O_7$ metal layered 1069
- in $YBa_2Cu_3O_{7-\delta}$–Ag–Pb (thin film) 1615
- in $YBa_2Cu_3O_{7-\delta}$–Au junctions 1061

Proximity effect (theory) 1125
Pulsed laser deposition
- of $YBa_2Cu_3O_{7-\delta}$ (films) 129

Pulsed neutron diffraction
- of $Tl_2Ba_2CuO_{6+\delta}$ 101
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 101

Pulsed neutron scattering
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 93

Quantum antiferromagnet (2D) 773
Quantum Monte Carlo 771
Quasiparticle spectral function 783

Quenching
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1005
Quenching melt growth
– of $YBa_2Cu_3O_{7-\delta}$ 1217

Raman effect
– of $YBa_2Cu_3O_{7-\delta}$ 753
Raman scattering
– in $BaCuO_{2-\delta}$ 1253
– in $Bi_2Sr_2Ca_2Cu_3O_{10+\delta}$ 1219
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1257
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1097, 1099, 1701
– in $Bi_2Sr_2CuO_{6+\delta}$ 1257
– in Bi–Pb–Sr–Ca–Cu–O 1101
– in Bi–Sr–Ca–Cu–O (thin film, pulsed laser evaporation) 1105
– in Nb_3Sn, V_3Si 431
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (single crystal) 1079
– in $Pb_2Sr_2YCu_3O_{8+\delta}$ 1345
– in $(RE)Ba_2Cu_3O_{7-\delta}$ (RE=Y,Eu,Pr) 1091
– in $Tl_2Ba_2CaCu_2O_{8+\delta}$ 1243
– in $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ 1245
– in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Ni,Zn) 1251
– in $YBa_2Cu_3O_{7-\delta}$ 1079, 1093, 1103, 1255
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1095, 1097, 1237, 1241, 1249, 1701
– in $YBa_2Cu_4O_{8+\delta}$ (single crystal) 1089
Raman scattering in CuO 1087
Raman spectra
– of $Ba_{1-x}K_xBiO_3$ 1657
– of $Tl_2Ba_2CaCu_2O_{8-\delta}$ 1409
– of $Tl_2Ba_2CuO_{6-\delta}$ 1409
– of $TlBa_2CaCu_2O_{7-\delta}$ 1409
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1057
Raman spectroscopy 303
Random pinning forces 257
Reflection high energy electron diffraction (RHEED) 615, 627, 711
Reflectivity
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1229
– of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) 1205
– of $La_2CuO_{4-\delta}$ 1231
– of $Nd_2CuO_{4-\delta}$ (single crystal) 1231
– of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ 1075
– of $YBa_2Cu_3O_{7-\delta}$ 1229
Remanent magnetization
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1635
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1635
Residual γ-value
– of $YBa_2Cu_3O_{7-\delta}$ 83
Resistive transition
– of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ 725
– of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) 719
– of $YBa_2Cu_3O_{7-\delta}$ 373
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 747
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 683
Resistive transition broadening
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 605
Resistivity 629
– of $Ba_{1-x}K_xBiO_3$ 550
– of $Bi_{2+x}Sr_{2-y}CuO_{6+\delta}$ 1195
– of $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) 1009
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1649
– of $GdBa_2Cu_3O_{7-\delta}$ ($0.45<\delta<1$) 1033
– of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 1003
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ (single crystal) 1013
– of $YBa_2Cu_3O_{6.5}$ (single crystal) 1013
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1009
– of $YBa_2Cu_3O_{7-\delta}$ (thick film) 1027
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 41
Resistivity at high frequencies
– of $La_2CuO_{4-\delta}$ 1031
Resistivity at high temperatures
– of Bi–Sr–Ca–Cu–O 1025
Resistivity due to broken bond 219
Resistivity in magnetic fields
– of $(Gd_{0.2}Ca_{0.8})Sr_2$-$(Tl_{0.5}Pb_{0.5})Cu_2O_y$ 323
Resistivity under pressure
– of $Ba_{1-x}K_xBiO_3$ 743
– of $BaPb_{1-x}Bi_xO_3$ 743
Resonant photoemission spectroscopy
– in $Pb_2Sr_2PrCu_3O_{8+\delta}$ 1373
RF absorption
– in $YBa_2Cu_3O_{7-\delta}$ 1571
RF dissipation
– of $YBa_2Cu_3O_{7-\delta}$ 1665
RF-SQUID
– of $YBa_2Cu_3O_{7-\delta}$ 397
RF triode sputtering 649
Rigid-Muffin-Tin approximation (RMTA) 1347
RKKY interaction 765, 1465, 1467
Rutherford back scattering
– in $Bi_2Sr_{1.8}CaCu_2O_{8+\delta}$ (single crystal) 1009
– in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1009
RVB model 201, 587, 761, 797, 1445
RVB state 795
RVB theory 12

Scaling of the irreversible curve
– of $YBa_2Cu_3O_{7-\delta}$ 697
Scanning tunneling microscopy
– in $YBa_2Cu_3O_{6.9}$ (thin film) 1035
Scanning tunneling microscopy (STM)
– in $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ 1045
Scanning tunneling spectroscopy
– in $YBa_2Cu_3O_{7-\delta}$ (thin film) 1129
Screening of electromagnetic fields 1607
Screening of random potential 1483
Screen printed thick film 881
SDW 12, 300
Secondary ion mass spectrometry 75
Self-consistent LMTO band structure calculation
– in $YBa_2Cu_3O_{7-\delta}$ 1335
Self-consistent spin polarized energy band calculations
– in CuO 1349
– in $La_2CuO_{4-\delta}$ 1349
Shielding current
– of $YBa_2Cu_3O_{7-\delta}$ 552
Shielding effect
– in $BaPb_{1-x}Bi_xO_3$ 727
Shielding effectiveness
– of $YBa_2Cu_3O_{7-\delta}$ 1543
Shock compression
– of $YBa_2Cu_3O_{7-\delta}$ 937, 1263
Shock compression technique 885
Shubnikov–de Haas oscillations
– in κ-(BEDT-TTF-h_8)$_2$Cu(NCS)$_2$ 577
Single crystal
– of $(Ca_{1-x}Ba_xLa)(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Al,Pt) 873
Single crystal growth
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (KCL) 115
– of $Bi_2Sr_2CuO_{6+\delta}$ 1223
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 285
– of $REBa_2Cu_3O_{7-\delta}$ (RE=Y, La, Pr, Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm, Y 1213
– of $TmBa_2Cu_3O_{7-\delta}$ 1211
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1259
– of $YBa_2Cu_3O_{7-\delta}$ 897, 909, 1211
– of $YBa_2Cu_3O_{7-\delta}$ (alkali halides) 895
Single crystal thin film
– of $HoBa_2Cu_3O_{7-\delta}$ 833
– of $YBa_2Cu_3O_{7-\delta}$ 615, 833
Singlet d-wave pairing 765
Slave-boson approximation 1501
Slave-boson method 785
Small spin-polaron 1499
Soft X-ray absorption spectroscopy
– in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1331
– in $YBa_2Cu_3O_{7-\delta}$ 1331
Sol-gel method 881, 931
– of $Tl_2Ba_2Ca_2Cu_3O_y$ 113
– of $Tl_2Ba_2CaCu_2O_y$ 113
– of $Tl_2Ba_2CuO_{6+\delta}$ 109
– of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 109
Sound velocity
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 454

- of $Bi_2Sr_2CaCu_2O_x$ (single crystal) 1073
- of Bi-(Pb)-Sr-Ca-Cu-O 450
- of $BiSrCaCu_3O_x$ 444
- of $EuBa_2Cu_3O_{7-\delta}$ 458
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 460
- of $La_2CuO_{4-\delta}$ 460
- of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 448
- of Tl-Ca-Ba-Cu-O 446
- of $YBa_2Cu_3O_{7-\delta}$ 452, 458
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1073

Specific heat 1485, 1669
- of $Bi_{0.7}Pb_{0.3}SrCaCu_{1.8}O_x$ 492
- of $Bi_{0.8}Pb_{0.2}Sr_{0.8}CaCu_{1.4}O_x$ 468
- of $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_{10+\delta}$ 512
- of $(Bi_{1.66}Pb_{0.34})Ca_2Sr_2Cu_3O_{10+\delta}$ 502
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 474
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 504
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_4O_x$ 729
- of $Bi_{2-y}Pb_ySr_2CaCu_2O_{8+\delta}$ 480
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ 566
- of $BiPb_{0.3}SrCaCu_2O_x$ 496
- of $BiSrCaCu_2O_x$ 468
- of CuO 478
- of $DyBa_2Cu_3O_{7-\delta}$ 496
- of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 474
- of $La_{2-x}Sr_xCuO_{4-\delta}$ 472, 498
- of $Sm_{2-x}Ce_xCuO_{4-\delta}$ 296
- of $Tl_{1.94}Ba_2Ca_1Cu_2O_{8+\delta}$ 488
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ 476
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 476, 496
- of $Tl_2Ba_2CuO_{6+\delta}$ 476
- of $U_{0.981}Th_{0.019}Be_{12.97}B_{0.03}$ 429
- of $U_{1-x}Th_xBe_{13}$ 429
- of UPt_3 (single crystal) 413, 415
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Cr,Zn) 494
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Ca) 564
- of $YBa_2(Cu_{1-x}Zn_x)_3O_{7-\delta}$ (x=0,0.01,..,.0.1) 518
- of $YBa_2Cu_3O_{6.87}$ 474
- of $YBa_2Cu_3O_{7-\delta}$ 83, 470, 482, 484, 486, 490, 1651
- of $YBa_2Cu_3O_{7-\delta}$ ($0 \leqslant \delta \leqslant 0.2$) 1401
- of $YBa_2Cu_3O_{7-\delta}$ (δ=0.11,0.14,0.17) 103
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 500
- of $YBa_2Cu_4O_8$ 1401

Specific heat in superconductivity glass 233
Specific heat (theory) 203
Spectral density of T_c 1507
Spin 1/2 antiferromagnet with 2d square lattice 1449
Spin bags model 300
Spin density map
- in $YBa_2Cu_3O_{6.5}$ (single crystal) 1275
- in $YBa_2Cu_3O_{7-\delta}$ 1285

Spin dynamics
- in $YBa_2Cu_3O_{7-\delta}$ ($0 \leqslant \delta \leqslant 0.6$) 191

Spin fluctuation effect in metal-insulator transition 221
Spin fluctuation model 300
Spin glass state
- of $La_{2-x}Sr_xCuO_{4-\delta}$ 145

Spin liquid states 1525
Spinons 795
Spin-pair excitation
- in $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1237

Spin-polaron mechanism 781
Spin-polaron theory 1477
Spin wave velocity 829, 1455
Splat quenching 927
Spray pyrolysis method
- for Bi-Pb-Sr-Ca-Cu-O film 117

Sputtering) 715
Square lattice s=1/2 Heisenberg antiferromagnet 829
SQUID made
- of Bi-Sr-Ca-Cu-O 879

Stability
- of $YBa_2Cu_3O_{7-\delta}$ 601

Stability of the phase 3
Strain effect on T_c
- of $YBa_2Cu_3O_{7-\delta}$ 373

String polarons 1479
Strong coupling 217
Strong coupling effect on $\kappa_2(T)$ 205
Strong coupling in Hubbard model 227
Strong coupling model 583
Strong coupling theory 803, 1709
Strong electron-phonon coupling 1341
Structural change
- in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 53

Structural instability
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 516

Structural phase transition
- of Bi-(Pb)-Sr-Ca-Cu-O 450
- of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 448

Structural transition
- in $YBa_2Cu_3O_{7-\delta}$ 546, 1515

Structure
- of $Ba_{1-x}K_xBiO_3$ 556
- of $BaCuO_{2-\delta}$ 59
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film 707
- of $(La_{1-x}Ba_x)_2CuO_{4-\delta}$ 983
- of $La_2CuO_{4+\delta}$ 99
- of $La_2NiO_{4+\delta}$ 99
- of $La_{2-x}Sr_xCuO_{4-\delta}$ 536
- of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 971
- of $PrBa_2Cu_3O_{7-\delta}$ 61
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 530
- of $TlBa_2(Ca_{0.87}Tl_{0.13})Cu_2O_{7-\delta}$ 1663
- of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ 51
- of $YBa_2Cu_3O_{7-\delta}$ 941, 945
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 536
- of $YBa_2Cu_3O_{7-\delta}$ (theory) 540
- of $YBa_2Cu_4O_8$ (single crystal) 524
- of $Y(Ba,Sr)_2(Cu,Co)_3O_{7-\delta}$ 73

Structure of the epitaxial grown thin film
- of $YBa_2Cu_3O_{7-\delta}$ 643

Structure of Kr irradiated
- $REBa_2Cu_3O_{7-\delta}$ (RE=Gd,Ho) 77

Substitution effect of 3d metals M for Cu
- in $Bi_2(Sr_{0.6}Ca_{0.4})_3Cu_2O_{8+\delta}$ (M=Fe,Co,Ni,Zn) 981

Substitution effect of Ag
- in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Eu) 975

Substitution effect of Cu(I)
- in $YBa_2Cu_3O_{7-\delta}$ 969

Substitution effect of Ni, Zn, for Cu
- in $REBa_2Cu_3O_{7-\delta}$ 1277

Substitution effect of Sb and Pb
- in Bi-Sr-Ca-Cu-O 863

Substitution effect of Zr for Y
- in $YBa_2Cu_3O_{7-\delta}$ 977

Substitution effects
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 985
- in $Nd_{1-x}Ba_{2+x}Cu_3O_{7-\delta}$ 47
- in $Y_{1-x}Gd_xBa_2(Cu_{1-y}M_y)_3O_{7-\delta}$ (M=Fe,Ni) 965
- in $Y_{1-x}(Pr_{0.7}Ca_{0.3})_xBa_2Cu_3O_{7-\delta}$ 61
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Al,Zn,Sn) 47
- in $YBa_2Cu_3O_{7-\delta}$ 49

Substitution effects of Gd
- in $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Sm,Gd,Dy,Ho,Yb) 87

Substitution of 3d elements
- in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n=2, 3) 25

Substitution of Bi
- in $YBa_2Cu_3O_{7-\delta}$ 71

Substitution of Zn for Cu
- in $YBa_2Cu_3O_{7-\delta}$ 1007

Superconducting energy gap
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 841, 845, 1059, 1133, 1697
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1381
- of $Bi_4Sr_3Ca_3Cu_4O_{16+\delta}$ 1045
- of Bi-Sr-Ca-Cu-O 837
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ 1133
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 1133, 1243
- of $Tl_2Ba_2CaCu_2O_{8-\delta}$ 1409
- of $Tl_2Ba_2CuO_{6+\delta}$ 1133
- of $Tl_2Ba_2CuO_{6-\delta}$ 1409
- of $TlBa_2CaCu_2O_{7-\delta}$ 1409
- of $Tl_{0.55}Pb_{0.45}Sr_2CaCu_2O_{7-\delta}$ 1075
- of $YBa_2Cu_2O_{7-\delta}$ 837
- of $YBa_2Cu_3O_7$/metal film 1069

- of $YBa_2Cu_3O_{7-\delta}$ 841, 1049, 1051, 1133
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) 1085
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1057, 1237, 1241

Superconducting fluctuation 375
- of $BiPb_{0.3}SrCaCu_2O_x$ 496
- of $DyBa_2Cu_3O_{7-\delta}$ 496
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 496
- of $Y_{1-x}RE_xBa_2Cu_3O_{7-\delta}$ (RE=Pr, Ho, Gd, Eu) 371

Superconducting fluctuation effects 1017
Superconducting gap
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1127

Superconducting gap equation 1339
Superconducting glass
- in $Bi_2(CaSr)_{n+1}Cu_nO_x$ (n=1,2,3) 917
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1569

Superconducting glass model 229
Superconducting glassy state 693
Superconducting glassy state induced by twins 233
Superconducting in valence fluctuation system 1533
Superconducting loop antenna (calculation) 385
Superconducting-magnetic phase diagram
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 1281

Superconducting phase diagram
- of $U_{1-x}Th_xBe_{13}$ 429, 1669

Superconducting phases of heavy fermion superconductors (theory) 1673
Superconducting wire fabrication 381
Superconductivity
- in $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ 935
- in $Ba_{1-x}K_xBiO_3$ 1405, 1657
- in $Ba_{1-x}Tl_xCuO_{2+\delta}$ 29
- in $Ba(Pb,Sb)O_3$ 1393
- in $Bi_{1.6}Pb_{0.4-x}Sb_xCa_2Sr_2Cu_3O_x$ 911
- in $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 917
- in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$ 1219
- in Bi–Pb–Ca–Sr–Cu–O 915
- in Bi–Pb–Sb–Sr–Ca–Cu–O 925
- in Bi–(Pb)–Sr–Ca–Cu–O 526
- in Bi-Sr-Ca-Cu-O 939
- in $La_{2-x}CuO_{4-\delta}$ 921
- in $Li_{0.9}Mo_6O_{17}$ (single crystal) 427
- in $Nd_{2-x}Ce_xCuO_{4-\delta}$ 89
- in $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 979
- in $RE_{1-x}Cd_xBa_2Cu_3O_{7-\delta}$ (RE=Y,Nd,Sm,Gd,Hy,Ho,Yb) 87
- in $RE_{2-x}M_xCuO_{4-\delta}$ (RE=Pr,Nd,Sm,Eu,Gd; M=Ce,Th) 957
- in $Tl_{0.75}Pb_{0.20}Sb_{0.05}Ca_2Ba_3Cu_4O_y$ 995
- in $(Tl_{1-x}Bi_x)(Ca_{1-y}Y_y)Sr_2Cu_2O_z$ 39
- in (Tl,Pb)(A,RE)$_2$CuO$_5$ (A=Sr,Ba, RE=La,Pr,Nd) 721
- in $Y_{1-x}Pr_xBa_2(Cu_{0.95}Zn_{0.05})_3O_{7-\delta}$ 61
- in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 963
- in $YBa_2(Cu_{1-x}Ga_x)_3O_{7-\delta}$ 967
- in $YBa_2Cu_3O_{7-\delta}$–Ag 1173
- in $YBa_2Cu_3O_{7-\delta}$–Ag_2O 1179

Superconductivity in 2D systems 1461
Superconductivity of Fermi glasses 271
Superlattice
- of Nb/NbTi 411

Surface impedance
- of $YBa_2Cu_3O_{7-\delta}$ 111

Surface magnetic impedance of granular superconductor 399
Surface resistance
- of $YBa_2Cu_3O_{7-\delta}$ 1539, 1541
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, $LaGaO_3$) 1537
- of $YBa_2Cu_3O_{7-\delta}$ (thin film, $SrTiO_3$) 1549

Surface resistance of granular superconductors 1547
Surface roughness
- of the $YBa_2Cu_3O_{7-\delta}$ thin film 705

Susceptibility
- of $Bi_2Sr_2Ca_{n-1}Cu_nO_y$ (n=1,2,3) 1205

Suspension spinning method 558
S-wave pairing 815
Synthesis
- of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ 935
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 27
- of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ 27
- of Bi–Sr–Ca–Cu–O 379
- of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 285
- of $REBa_2Cu_4O_8$ (RE=Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm) 955
- of $Tl_{0.15}Pb_{0.5}$ $(Ca_{1-x}RE_x)$-$Sr_2Cu_2O_y$ 869

Synthesis of high purity $YBa_2Cu_3O_{7-\delta}$ 931

T^*-phase 1681
Temperature reference point by high T_c superconductors 421
The little mechanism 1443
Theory of collective pinning 239
Theory of high T_c-superconductivity 217
Thermal conductivity
- of $Bi_{1.4}Pb_{0.6}Sr_2Ca_2Cu_3O_{10+\delta}$ 512
- of $Bi_2(Ca_{0.5}Sr_{0.5})_3Cu_2O_x$ 572
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 508
- of $Er_{0.4}Ho_{0.6}Rh_4B_4$ 1653
- of $ErBa_2Cu_3O_x$ (single crystal) 572
- of $Tl_2Ba_2Ca_2Cu_3O_x$ 572
- of URu_2Si_2 1653
- of $YBa_2Cu_3O_{7-\delta}$ 562
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 508

Thermal conductivity (theory) 277
Thermal expansion
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ 566
- of $La_2CuO_{4-\delta}$ 1037

Thermal fluctuation of vortex 257
Thermally activated flux creep
- in $YBa_2Cu_3O_{7-\delta}$ 701
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) 687

Thermally activated flux flow
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1189

Thermally activated flux motion 661, 663
- in $YBa_2Cu_3O_{7-\delta}$ (thin film) 683, 1191

Thermally activated flux motion (TAFM) 677
Thermally assisted flux flow (TAFF)
- of $Bi_{1.5}Pb_{0.5}Sr_{0.2}CaCu_2O_x$ 667
- of $Bi_{2.5}Pb_{0.5}Sr_{2.5}Ca_{1.5}Cu_2O_x$ 667

Thermal modulation spectroscopy
- of $YBa_2Cu_3O_{7-\delta}$ 1071

Thermodynamical critical field 1493
Thermodynamical stability criteria
- of $YBa_2Cu_3O_{7-\delta}$ 703

Thermodynamics of high T_c superconductors 1401
Thermodynamics of the phase transition
- in $YBa_2Cu_3O_{7-\delta}$ 546

Thermoelectric power
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 506
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1397
- of κ-(BEDT-TTF-h_8)$_2$Cu(NCS)$_2$ 577
- of $TlCa_{1-x}Ln_xSr_2Cu_2O_{7+\delta}$ (Ln=rare earths) 865
- of $YBa_2Cu_3O_{7-\delta}$ (δ>0.5) 1207

Thermogravimetric relaxation technique 55
Thermopower and electrical resistivity (theory) 1473
Thick film
- of $YBa_2Cu_3O_{7-\delta}$ 1265

Thin film
- of $Ba_{1-x}Kr_xBiO_3$ (epitaxially grown) 1121
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 707
- of Bi–(Pb)–Sr–Ca–Cu–O thin film (DC sputtering, MgO) 613
- of Bi–Pb–Sr–Ca–Cu–O thin film (RF sputtering, MgO) 619
- of Bi–Sr–Ca–Cu–O 631, 649
- of Bi–Sr–Ca–Cu–O (electron beam evaporation, MgO) 641

- of Bi–Sr–Ca–Cu–O (magnetron sputtering, MgO) 709
- of Bi–Sr–Ca–Cu–O (RF magnetron sputtering, MgO) 645
- of Bi–Sr–Ca–Cu–O thin film (RF magnetron sputtering, MgO) 617
- of $DyBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, $SrTiO_3$) 627
- of $Ho(Y)Ba_2Cu_3O_{7-\delta}$ 833
- of $(Rb,Ba)BiO_3$ (molecular beam epitaxy, $SrTiO_3$, MgO) 633
- of $REBa_2Cu_3O_{7-\delta}$ (RE=Y,Ho,Eu,Sm,Lu,Gd) (magnetron sputtering) 715
- of Tl–Ca–Ba–Cu–O (RF diode sputtering) 639
- of $YBa_2(Cu_{0.97}Fe_{0.03})_3O_{7-\delta}$ (epitaxially grown) 1297
- of $YBa_2Cu_3O_{7-\delta}$ 601, 607, 631, 705, 713, 1021, 1169, 1645
- of $YBa_2Cu_3O_{7-\delta}$ (coevaporation, sapphire, $SrTiO_3$) 621
- of $YBa_2Cu_3O_{7-\delta}$ (DC magnetron sputtering) 599
- of $YBa_2Cu_3O_{7-\delta}$ (DC magnetron sputtering, $SrTiO_3$) 647
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporation, MgO) 659
- of $YBa_2Cu_3O_{7-\delta}$ (electron beam evaporator, Si, sapphire, $SrTiO_3$) 657
- of $YBa_2Cu_3O_{7-\delta}$ (electron gun, BeO) 611
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial coevaporated, $SrTiO_3$ single crystal) 653
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial, DC magnetron sputtering, $SrTiO_3$) 643
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial grown, $SrTiO_3$) 1549
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial grown, $SrTiO_3$ single crystal) 683
- of $YBa_2Cu_3O_{7-\delta}$ (epitaxial, $SrTiO_3$) 625
- of $YBa_2Cu_3O_{7-\delta}$ (magnetron sputtering) 1535
- of $YBa_2Cu_3O_{7-\delta}$ (MgO) 605
- of $YBa_2Cu_3O_{7-\delta}$ (molecular beam epitaxy, MgO) 623
- of $YBa_2Cu_3O_{7-\delta}$ (RF magnetron sputtering, MgO) 651
- of $YBa_2Cu_3O_{7-\delta}$ thin film (epitaxial, MgO) 615

Thin film in narrowstrips
- of $YBa_2Cu_3O_{7-\delta}$ (laser ablation, MgO, ZrO_2, $SrTiO_3$) 1175

Thin film preparation
- of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 81
- of $YBa_2Cu_3O_{7-x}$ 81

Three band Hubbard model 313

Time of flight measurement
- of $Tl_2Ba_2CuO_{6+\delta}$ 101
- of $Tl_2CaBa_2Cu_2O_{8+\delta}$ 101

T-J model 587, 761, 783, 787, 1337, 1459

Topological excitation 791

Topological frustration 1487

Torque
- of $GdBa_2Cu_3O_{7-\delta}$ (single crystal) 349

Torque measurement
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 343

Transient photomodulation spectroscopy
- of $La_2CuO_{4-\delta}$ 1109
- of $YBa_2Cu_3O_{7-\delta}$ 1109

Transmission electron microscopy
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 532

Transmission electron microscopy (TEM)
- of Bi–Pb–Sb–Sr–Ca–Cu–O 635

Transverse field muon spin rotation (TF μ-SR) 1555

Triangular lattice 1487

Triplet pairing 1531

Triplet p-wave pairing 765

Tunneling characteristics
- of $Ba_{1-x}K_xBiO_3$ 1053, 1405
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1059, 1133
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1397
- of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ 1045
- of Pb junctions 1049
- of $Tl_2Ba_2Ca_2Cu_3O_{10+\delta}$ 1133
- of $Tl_2Ba_2CaCu_2O_{8+\delta}$ 1133
- of $Tl_2Ba_2CuO_{6+\delta}$ 1133
- of $YBa_2Cu_3O_{7-\delta}$ 1133
- of $YBa_2Cu_3O_{7-\delta}$ (thin film) 1049

Tunneling characteristics of point contacts 1055

Tunneling characteristics (theory) 1233

Tunneling junctions
- of Bi–Sr–Ca–Cu–O (single crystal) 1131

Tunneling measurement
- of Bi–Sr–Ca–Cu–O 837
- of $YBa_2Cu_3O_{7-\delta}$ 837

Tunneling spectroscopy
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1127
- of Bi–Sr–Ca–Cu–O/Nb 1131

Tunnel junctions
- of $YBa_2Cu_3O_7$ metal film 1069
- of $YBa_2Cu_3O_7$ (single crystal) 1067
- of $YBa_2Cu_3O_{7-\delta}$ 1051, 1063

Twins in
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 520

Two-band model 821

Two-dimensional Hubbard model 771

Two-dimensional Ising model 225

Ultrasonic attenuation 1669
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 454
- in Bi–(Pb)–Sr–Ca–Cu–O 450
- in $BiSrCaCu_3O_x$ 444
- in $La_{2-x}Sr_xCuO_{4-\delta}$ 562
- in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 448
- in Tl–Ca–Ba–Cu–O 446
- in $YBa_2Cu_3O_{7-\delta}$ 562

Ultrasonic attenuation in heavy fermion superconductors 417

Ultra-violet spectra
- in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1123

Unconventional pairing
- in $YBa_2Cu_3O_{7-\delta}$ 377

Unconventional superconductivity 269
- in UPt_3 (single crystal) 413

Unified mechanism of electron and hole symmetry 781

Unit cell cluster calculations
- in $YBa_2Cu_3O_{7-\delta}$ 1357

Universal anomalies in high T_c superconductors 303

Untwinned single crystal
- of $TmBa_2Cu_3O_{7-\delta}$ 1211
- of $YBa_2Cu_3O_{7-\delta}$ 1211

Upper critical field 251, 1493
- of $Ba(Pb,Sb)O_3$ 1393
- of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 27
- of $Bi_{2-x}Pb_xSr_2CaCu_2O_y$ 27
- of $Ho(Y)Ba_2Cu_3O_{7-\delta}$ (single crystal film) 833
- of κ-(BEDT-TTF-h_8)$_2$Cu(NCS)$_2$ 577
- of $LaAl_2$:Gd 403
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 1209
- of $Nd_2CuO_{4-y}F_y$ 1209
- of $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ 723
- of $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ 725
- of $Y_{1-x}Gd_xBa_2(Cu_{1-y}M_y)_3O_{7-\delta}$ (M=Fe,Ni) 965
- of $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 1363
- of $YBa_2(Cu_{0.98}M_{0.02})O_{7+\delta}$ (M=Ni,Al) 1627
- of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ (single crystal) 719
- of $YBa_2Cu_3O_{7-\delta}$ 1659
- of $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ 827
- of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 735, 747, 1023
- of $YBa_2Cu_3O_{7-\delta}$ thin film 647

Upper critical field (calculation) 801

Upper critical field of layered superconductors 1559

Upper critical field of V/Cu layer 425

UPS

– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1321
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 1321
– of $YBa_2Cu_3O_{7-\delta}$ 1321
UPt_3 377

Valence band spectra
– of $Nd_2CuO_{4-y}F_y$ 1383
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1383
Van Hore singularity 215
Variational Monte Carlo method 1459
Vibrating leed technique 665, 667
Vibronic pairing mechanism 1519
Vortex states 1469

Weak localization effects 1003
Wet chemical etching
– of $YBa_2Cu_3O_{7-\delta}$ 605

XAES
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 1305
XAFS
– of $BaBi_{1-x}Pb_xO_3$ 544
XAS
– of Bi–Ca–Cu–O 209
– of $YBa_2(Cu_{1-x}Co_x)_3O_{7-\delta}$ 51
XPS 1325
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 1321
– of $Bi_2Sr_2Y_{1-x}Ca_xCu_2O_{8+\delta}$ 1315
– of Bi–Pb–Sr–Ca–Cu–O 1101
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 1321
– of $Nd_{1-x}Ba_{2+x}Cu_3O_{7-\delta}$ 47
– of $Nd_2CuO_{4-y}F_y$ 1383
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 1383, 1389
– of Tl–Ba–Ca–Cu–O 1387
– of $YBa_2Cu_3O_{7-\delta}$ 1385
– of $YBa_2Cu_3O_{7-\delta}$ (film) 141
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1303
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 1305
XPS spectra (calculation)
– of $YBa_2Cu_3O_{7-\delta}$ 211
X-ray spectroscopy
– in $YBa_2Cu_3O_{7-\delta}$ 973
XY-spiral spin order 1447